SUPERWAY GARDEN AG & PEST PRODUCTS PTY

ABN: 24 056 553 274

Geoff Mobile: 0438 045 824 Steve Mobile: 0438 045 825 Shed 6 - Cnr Roys Rd & Moroney Place PO Box 183, Beerwah Q 4519 Ph: 07 5439 0355 Fax: 07 5439 0366 Email: msd@superway.com.au

MATERIAL SAFETY DATA SHEET

14/7/2016

1 IDENTIFICATION

Product Name PIDGEONS PEST CONTROLLER 500

Termiticide and Insecticide

Chemical Name Chlorpyrifos
Chemical Class Organophosphate

Hazchem Code 2x UN No 3018 Dangerous Goods Code 6.1

Sub.Risk Class No Subsidiary Risk

Packaging Group 111

EPG .

Poison Schedule S6

Physical Appearance and Properties.

Appearance and Odour Clear pale yellow liquid with mercapton odour.

Boiling Point 140 degrees C

Vapour Pressure 2.7m Pa @ 25 degrees C

Volatile Component 53%

Flash point 66 degrees C

Specific Gravity 1.075 @ 20 degrees C Molecular Weight 350.6 (Chlorpyrifos)

Ingredients CAS No. %
Chlorpyrifos 2921-88-2 50%
Hydrocarbon Solvent 1330-20-7 48%

General Surfactants 0% w/v

11 HEALTH HAZARD DATA

Health effects.

Swallowed: Moderately toxic by oral route. Poisonous if swallowed . Acute oral L

(technical) for the rat 134-163 mg/Kg; for guinea pigs 504 mg/kg; for

rabbits 1,000mg/kg -2,000 mg/kg

Eye May be harmful to eyes.

Skin Slightly toxic by dermal route. May be harmful if absorbed. Acute

Percutaneous LD50 (technical) for rabbits >2,000mg/kg.

Inhalation Toxic if inhaled.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre.

SWALLOWED

Give plenty of water to drink. Give one atropine tablet every 5 minutes

until

Dryness of the mouth occurs. Seek Medical assistance.

EYE

Immediately irrigate with copious quantities of water for at least 15

minutes.

Seek medical assistance.

SKIN Remove contaminated clothing. Wash affected areas with plenty of soap

and

Water. Seek medical assistance.

INHALATION

Remove victim to fresh air.

ADVISE TO DOCTOR

This product in a organophosphate, which is an anticholinesterase agent Atropine and 2-PAM may be administered.

111 PRECAUTIONS FOR USE

Exposure standards

TVL (As chlorpyrifos) 0.2mg/M3 (AGHIH)

Engineering controls

DO NOT USE IN CONFINED PLACES WHERE VENTILATION IS POOR.

Personal protection

Product is poisonous if absorbed by skin contact, inhaled or swallowed, repeat exposure may cause allergic disorders. Repeated exposure may have cumulative poisoning effect. Obtain an emergency supply of atropine tablets 0.6mg. Will irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale vapour or spray mist. When opening the container and preparing the spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length PVC gloves, goggles and face shield. If product gets on skin, immediately wash area with soap and water.

IV SAFE HANDLING INFORMATION

Storage and transport.

Keep Out of reach of children. Wear long sleeved overalls and gloves while handling. After handling and before eating, drinking and smoking ,wash hands, arms and face thoroughly with soap and water. Store in close original ,container in a dry , well ventilated area, as cool as possible , out of direct sunlight. Store in locked room or place away from children, animals food foodstuffs , seed and fertilisers. Avoid contact with the skin, eyes and clothing and inhalation of the product.

SPILLS AND DISPOSALS

Dealing with spills and disposals may result in the potential for increased personal exposure. During such operations it is recommended that the following protective clothing be worn.

Cotton overalls buttoned to the neck and wrist.

Elbow length PVC gloves.

Face shield and goggles.

Avoid contact with the eyes, skin and clothing or inhalation of the product. CONTAIN SPILLS and absorb with earth, sand sawdust, clay or sweeping material or absorbent materials and store in sealed drums for safe disposal in an approved landfill, or bury under at least 500mm of soil in a non-crop, non- pasture area away from water sources and homes.

DO NOT burn empty containers or product.

WASTE DISPOSAL METHODS

Triple pressure rinse containers before disposal. Break, crush or puncture and bury the empty containers in the local authority landfill. If not available, bury the containers under 500mm in a disposal pit specifically set up for this purpose clear of waterways, vegetation and roots.

Fire/Explosion Hazard.

Extinguish fire using Foam or Dry Agent. Full protective gear, including self contained breathing apparatus (SA 1716) must be worn.

V OTHER INFORMATION

IN CASE OF EMERGENCY DIAL 000

If ineffective: Phone Poisons information centre (131126)