

**POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

# **SUPERWAY DIMETHOATE 300 SYSTEMIC INSECTICIDE**

**ACTIVE CONSTITUENT: 300 g/L DIMETHOATE**  
**(an anticholinesterase compound)**

For the control of fruit fly, aphids, thrips, leaf miners, bean fly and certain other pests on fruit trees, vegetables, potatoes and ornamentals.

CONTENTS: 250mL, 500mL, 1L

**SUPERWAY GARDEN PRODUCTS PTY LTD**  
**Shed 6, Cnr Roys Road & Moroney Place**  
**BEERWAH QLD 4159**  
**ABN 24 056 553 274**  
**TEL (07) 54390355**

**HOW TO USE:**

SITUATION	PEST	RATE	HOW TO APPLY
Stone fruit	Fruit Fly (not in Tas)	10mL/100L	Apply 4 and 2 weeks before harvest (5 to 10L per tree)
Apples, Pears, Quinces, Citrus		10mL/10L per 100m <sup>2</sup>	Apply 7 and 5 weeks before harvest (5 to 10L per tree)
Potatoes	Aphids, Rutherglen bug	10mL/10L	Apply as a spray when pests first appear and repeat at 10 to 14 day intervals, or on reinfestation.
Ornamental, Flowers, Vegetables, Fruit trees	Aphids, Thrips, Bean Fly, Leaf Miners, Tomato Mite, Jassids, Mealy Bug, Azalea Lace Bug, Green Vegetable Bug, Bronze Orange Bug (Not in Tas)		

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**DO NOT PICK FRUIT, VEGETABLES AND POTATOES FOR 7 DAYS AFTER SPRAYING**

**General Instructions:** Spray evenly over the plant to near run-off.

**CAUTION:** Do not apply to Meyer lemons, Kumquats, Seville Orange, Apricots, Figs Chrysanthemums, Begonias, Gloxinias, Loquats, May damage early peaches and plums. DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. DO NOT spray if bees are feeding on flowering plants. Will kill bees.

**STORAGE AND DISPOSAL**

Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight.

**SAFETY DIRECTIONS**

Product is poisonous if absorbed by skin contact or inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not inhale spray mist.

When opening the container and preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length PVC gloves and face shield and impervious footwear. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves, impervious footwear and a half facepiece respirator with combined dust and gas cartridge

If product on skin, immediately wash area with soap and water. After use and before eating drinking and smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield, respirator and if rubber wash with detergent and warm water, and contaminated clothing.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre (TELEPHONE: 131126).

If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs – if poisoned by skin absorption or through lungs, remove any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

## **CONDITIONS OF SALE**

The use of Superway Dimethoate 300 Systemic Insecticide is beyond the control of the Superway Garden Products Pty Ltd and no warranty, expressed or implied, is given by Superway Garden Products Pty Ltd regarding its suitability or efficacy for any purpose for which it is used by the buyer, except the non-excludable rights under State/Territory or Federal legislation.

NRA APPROVAL NO:

BATCH NO:

DATE OF MANUFACTURE:

UN 3017 ORGANOPHOSPHOROUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE

CLASS 6 "TOXIC" DIAMOND

"FLAMMABLE LIQUID" sub risk diamond

**POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

# **SUPERWAY DIMETHOATE 300 SYSTEMIC INSECTICIDE**

**ACTIVE CONSTITUENT: 300 g/L DIMETHOATE  
(an anticholinesterase compound)**

For the control of fruit fly, aphids, thrips, leaf miners, bean fly and certain other pests on fruit trees, vegetables, potatoes and ornamentals.

CONTENTS: 100mL

**THE BOTTLE MUST NOT BE SOLD SEPARATELY  
DO NOT DESTROY BOX WHILE BOTTLE STILL REMAINS**

**SUPERWAY GARDEN PRODUCTS PTY LTD  
Shed 6, Cnr Roys Road & Moroney Place  
BEERWAH QLD 4159  
ABN 24 056 553 274  
TEL (07) 54390355**

**HOW TO USE:**

SITUATION	PEST	RATE	HOW TO APPLY
Stone fruit	Fruit Fly (not in Tas)	10mL/100L	Apply 4 and 2 weeks before harvest (5 to 10L per tree)
Apples, Pears, Quinces, Citrus		10mL/10L per 100m <sup>2</sup>	Apply 7 and 5 weeks before harvest (5 to 10L per tree)
Potatoes	Aphids, Rutherglen bug	10mL/10L	Apply as a spray when pests first appear and repeat at 10 to 14 day intervals, or on reinfestation.
Ornamental, Flowers, Vegetables, Fruit trees	Aphids, Thrips, Bean Fly, Leaf Miners, Tomato Mite, Jassids, Mealy Bug, Azalea Lace Bug, Green Vegetable Bug, Bronze Orange Bug (Not in Tas)		

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**DO NOT PICK FRUIT, VEGETABLES AND POTATOES FOR 7 DAYS AFTER SPRAYING**

**General Instructions:** Spray evenly over the plant to near run-off.

**CAUTION:** Do not apply to Meyer lemons, Kumquats, Seville Orange, Apricots, Figs, Chrysanthemums, Begonias, Gloxinias, Loquats, May damage early peaches and plums. DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. DO NOT spray if bees are feeding on flowering plants. Will kill bees.

### **STORAGE AND DISPOSAL**

Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight.

### **SAFETY DIRECTIONS**

Product is poisonous if absorbed by skin contact or inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not inhale spray mist.

When opening the container and preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length PVC gloves and face shield and impervious footwear. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves, impervious footwear and a half facepiece respirator with combined dust and gas cartridge

If product on skin, immediately wash area with soap and water. After use and before eating drinking and smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield, respirator and if rubber wash with detergent and warm water, and contaminated clothing.

### **FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre (TELEPHONE: 131126).

If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs – if poisoned by skin absorption or through lungs, remove any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

### **CONDITIONS OF SALE**

The use of Superway Dimethoate 300 Systemic Insecticide is beyond the control of the Superway Garden Products Pty Ltd and no warranty, expressed or implied, is given by Superway Garden Products Pty Ltd regarding its suitability or efficacy for any purpose for which it is used by the buyer, except the non-excludable rights under State/Territory or Federal legislation.

**POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

# **SUPERWAY DIMETHOATE 300 SYSTEMIC INSECTICIDE**

**ACTIVE CONSTITUENT: 300 g/L DIMETHOATE**  
**(an anticholinesterase compound)**

For the control of fruit fly, aphids, thrips, leaf miners, bean fly and certain other pests on fruit trees, vegetables, potatoes and ornamentals.

CONTENTS: 100mL

**BEFORE USING THIS PRODUCT, READ DIRECTIONS ON OUTER PACK.**  
**SALE OF THIS PRODUCT EXCEPT IN OUTER PACK IS ILLEGAL.**

**100mL**

**SUPERWAY GARDEN PRODUCTS PTY LTD**  
**Shed 6, Cnr Roys Road & Moroney Place**  
**BEERWAH QLD 4159**  
**ABN 24 056 553 274**  
**TEL (07) 54390355**

### **STORAGE AND DISPOSAL**

Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight.

### **SAFETY DIRECTIONS**

Product is poisonous if absorbed by skin contact or inhaled or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin. Do not inhale spray mist.

When opening the container and preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow length PVC gloves and face shield and impervious footwear. When using the prepared spray wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves, impervious footwear and a half facepiece respirator with combined dust and gas cartridge

If product on skin, immediately wash area with soap and water. After use and before eating drinking and smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield, respirator and if rubber wash with detergent and warm water, and contaminated clothing.

### **FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre (TELEPHONE: 131126). If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs – if poisoned by skin absorption or through lungs, remove any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

### **CONDITIONS OF SALE**

The use of Superway Dimethoate 300 Systemic Insecticide is beyond the control of the Superway Garden Products Pty Ltd and no warranty, expressed or implied, is given by Superway Garden Products Pty Ltd regarding its suitability or efficacy for any purpose for which it is used by the buyer, except the non-excludable rights under State/Territory or Federal legislation.

### **FLAMMABLE LIQUID**

NRA APPROVAL NO:

BATCH NO:

DATE OF MANUFACTURE: