

Searles®

Conguard®

Garden & Lawn Insecticide

HOW TO USE DO NOT apply when conditions are hot. DO NOT apply when soil is dry and plants are suffering from moisture stress.

PLANT	PEST	RATE	HOW TO APPLY
Stone Fruit	Green Peach Aphid, Black Peach Aphid, Green Peach Aphid	10mL per 3 litres of water	Spray foliage thoroughly when insects are first seen or if insects reappear. Spray underneath the leaves to kill pests which may be hiding out of sight. For Hibiscus Flower Beetle, spray buds and flowers as needed. For Longtailed Medleybug, apply 3 sprays 2 weeks apart. For Psyllids, spray at first sign and then a week later. For Soft Scales, spray in late Spring or when small scales are first seen. Apply 3 sprays 2 weeks apart. For best results spray in the morning where there is little or no wind and little direct heat from the sun.
Basilicas	Grey Cabbage Aphid, Turnip Aphid		
Cucumber, sweet potato	Silverleaf Whiptail		
Egg plant	Melon Thrips		
Roses	Aphids, Azalea Lace Bug, Bronze Orange Bug, Greenhouse Thrips, Flea Beetle, Rose Weevil, Psyllids, Soft Scale		
Ornamentals	Hibiscus Flower Beetle, Longtailed Medleybug, Cur Grubs, and Bill Bug larvae, also known as African Black Beetle larvae, Argentinian Scarab larvae or Puerto Rican Scarab larvae, Harlequin Bug, Citrus Mealybug, Thrips, Foliage Beetles, Rose Weevil, Psyllids, Soft Scale	20mL per 3 litres of water	Measure lawn area before applying. Apply Searles Conguard Garden & Lawn Insecticide using a watering can or a hand sprayer and water in thoroughly. DO NOT mow treated lawn for three days. For Cur Grubs, their optimum application time is speak egg hatch, which occurs between mid spring to mid summer. For Bill Bug larvae, the optimum application time is the peak of adult bug activity, or when small (4mm) larvae are found in the thatch or surface soil. This occurs between late spring and early summer.
Lawns		50mL per 1.5m²	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL, UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.
DO NOT PICK STONE FRUIT FOR 21 DAYS AFTER SPRAYING.
DO NOT PICK BRASSICAS, CAPSICUM, EGG PLANTS, POTATOES OR SWEET POTATOES FOR 7 DAYS AFTER SPRAYING.
DO NOT PICK TOMATOES FOR 3 DAYS AFTER SPRAYING.
DO NOT PICK CUCURBITS FOR 1 DAY AFTER SPRAYING.

HOW TO PREPARE:

Shake well before use. Add the required amount of Searles Conguard Garden & Lawn Insecticide to water in a sprayer or watering can and mix thoroughly. The prepared spray must be used on the day it is mixed.

DO NOT PICK STONE FRUIT FOR 21 DAYS AFTER SPRAYING.
DO NOT PICK BRASSICAS, CAPSICUM, EGG PLANTS, POTATOES OR SWEET POTATOES FOR 7 DAYS AFTER SPRAYING.
DO NOT PICK TOMATOES FOR 3 DAYS AFTER SPRAYING.
DO NOT PICK CUCURBITS FOR 1 DAY AFTER SPRAYING.

CAUTION:

DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. DO NOT spray if bees are feeding on flowering plants. Will kill bees. Children and pets may re-enter the treated area after the spray has dried.

STORAGE AND DISPOSAL:

Store in the closed, original container in a cool, dry place out of reach of children. DO NOT store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

APVMA Approval No: 64666/200/1209

BATCH NO.: D.O.M:

DISCLAIMER:

This product is designed to be used only for the purposes indicated on the label. Failure to use the product strictly as directed may be dangerous and cause injury, may be illegal, and may also render the product ineffective. The buyer or user is responsible for any misuses or negligence in the handling, storage, use or disposal of this material. JC & AT Searle Pty Ltd will not accept any responsibility of any kind, whether for consequential loss or otherwise, in connection with the supply and use of the product other than those responsibilities mandatorily imposed by statutes applicable to the safety and supply of these goods.

Searles®

Conguard®

Garden & Lawn Insecticide

Searles®

For the systemic control of insect pests on flowers, shrubs, fruit trees, vegetables and lawns in the home garden.



ACTIVE CONSTITUENT: 15 g/L IMIDACLOPRID

200mL makes up to 60 Litres

For the systemic control of insect pests on flowers, shrubs, fruit trees, vegetables and lawns in the home garden.

The bottle must not be sold separately.
Do not destroy box while product still remains.

Contents 200mL

JC & AT Searle Pty Ltd
4914 D'Aguilar Hwy,
KILCOY QLD 4515
ABN 14 002 898 893
Phone: (07) 5422 3000
Fax: (07) 5497 1997
Email: searlehm@searle.com.au

www.searles.com.au

Magfactor 1.2

BARCODE
9315138029047